

L Number	Hits	Search Text	DB	Time stamp
-	16	713/1\$.ccls. and mode adj2 word	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 10:49
-	3329	713/1\$.ccls. and mode	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 10:50
-	79	(713/1\$.ccls. and mode) and insert\$3 near5 detect\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 10:53
-	36	((713/1\$.ccls. and mode) and insert\$3 near5 detect\$3) and (start\$3 or execut\$3) near5 program	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 10:53
-	7	(713/1\$.ccls. and mode) and insert\$3 near5 detect\$3 same (start\$3 or execut\$3) near5 program	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 10:57
-	17	(mode near3 configur\$5) and insert\$3 near5 detect\$3 same (start\$3 or execut\$3) near5 program	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 11:39
-	21	(mode with configur\$5) and (insert\$3 near5 detect\$3) same (start\$3 or execut\$3) near5 program	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 11:08
-	7	(configur\$5) same (insert\$3 near5 detect\$3) same (start\$3 or execut\$3) near5 program	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 11:13
-	0	auto\$1launch near3 mode	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 11:13
-	0	auto\$1launch near8 mode	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 11:13
-	0	auto adj3 launch near8 mode	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 11:14
-	4	auto adj3 launch near8 configur\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 11:14
-	6	auto adj3 run near8 configur\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 11:19

-	225	auto with (launch or run) with mode	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 11:19
-	39	(auto with (launch or run) with mode) same program	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 11:20
-	8	(auto with (launch or run) with mode) same insert\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 11:22
-	450	auto adj3 (launch\$3 or run\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 11:23
-	113	(auto adj3 (launch\$3 or run\$4)) same mode	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 11:23
-	9	((auto adj3 (launch\$3 or run\$4)) same mode) same insert\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 11:23
-	48	auto adj3 (launch\$3 or run\$4) adj3 mode	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 11:32
-	7	auto adj3 (launch\$3 or run\$4) same (insert\$3 near5 detect\$3) same (start\$3 or execut\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 11:34
-	350	mode same (insert\$3 near5 detect\$3) same (start\$3 or execut\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 11:35
-	143	mode with (insert\$3 near5 detect\$3) same (start\$3 or execut\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 11:35
-	11	mode with (insert\$3 near5 detect\$3) same (start\$3 or execut\$3) with program	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 11:39
-	287	(mode near3 configur\$5) and insert\$3 near5 detect\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 11:42
-	4	(mode near3 configur\$5) with insert\$3 near5 detect\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 11:43
-	725	(mode) with insert\$3 near5 detect\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 11:43

-	64	insert\$3 near5 detect\$3 adj3 mode	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 11:43
-	13	insert\$3 near5 detect\$3 adj3 mode same (dis\$1 or drive)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 11:49
-	28	insert\$3 near5 detect\$3 near3 mode same (dis\$1 or drive)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 11:52
-	47	insert\$3 near5 detect\$3 near3 mode with (set\$4 or configur\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 11:57
-	75	insert\$3 near5 detect\$3 near5 mode with (set\$4 or configur\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 12:18
-	1145	insert\$3 near5 detect\$3 near5 (set\$4 or configur\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 12:18
-	65	insert\$3 near5 detect\$3 near5 (set\$4 or configur\$5) with (dis\$1 or drive)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 12:19
-	388	poll\$3 adj2 circuit	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 13:00
-	6	poll\$3 adj2 circuit near5 (drive or dis\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 13:01
-	8	poll\$3 adj2 circuit with (drive or dis\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 13:03
-	14	poll\$3 adj2 circuit same (drive or dis\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 13:05
-	1	poll\$3 adj2 circuit with insert\$3 near3 detect\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 13:05
-	1	poll\$3 adj2 circuit same insert\$3 near3 detect\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 13:05
-	17	poll\$3 adj2 circuit same insert\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 13:13

-	1	poll\$3 adj2 circuit with set\$4 near3 bit	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 13:14
-	2	poll\$3 adj2 circuit with detect\$3 same flag	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 13:17
-	144	auto\$1run	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 13:18
-	0	auto\$1run and poll\$3 adj2 circuit	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 13:18
-	0	(auto adj3 (launch\$3 or run\$4)) and poll\$3 adj2 circuit	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 13:19
-	2887	circuit with detect\$3 near3 insert\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 13:19
-	2209	circuit near5 detect\$3 near3 insert\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 13:22
-	127	circuit with detect\$3 near3 insert\$3 with drive	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 13:23
-	1	circuit with detect\$3 near3 insert\$3 with drive same bit	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 13:23
-	2	circuit with detect\$3 near3 insert\$3 with drive same flag	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 13:24
-	200	circuit with detect\$3 near3 insert\$3 with (drive or dis\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 13:25
-	4	circuit with detect\$3 near3 insert\$3 with (drive or dis\$1) same (bit or flag)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 13:28
-	8	circuit with detect\$3 near3 insert\$3 with (drive or dis\$1) same (status)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 14:29
-	161	dedicated near5 (circuit or poll\$3) near5 (drive or dis\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 14:36

-	17	dedicated near5 (circuit or poll\$3) near5 (drive or dis\$1) same (status or bit or flag)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 14:32
-	95	dedicated adj5 (circuit or poll\$3) near5 (drive or dis\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 14:37
-	42	dedicated adj5 (circuit or poll\$3) adj5 (drive or dis\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 14:37
-	0	dedicated adj5 (circuit or poll\$3) near5 (drive or dis\$1) same detect\$3 near5 insert\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 14:38
-	0	dedicated near5 (circuit or poll\$3) near5 (drive or dis\$1) same detect\$3 near5 insert\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 14:38
-	0	dedicated near5 (circuit or poll\$3) same (drive or dis\$1) same detect\$3 near5 insert\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 14:38
-	0	dedicated with (circuit or poll\$3) same (drive or dis\$1) same detect\$3 near5 insert\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 14:40
-	692	(circuit or poll\$3) same (drive or dis\$1) same detect\$3 near5 insert\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 14:40
-	497	(circuit or poll\$3) with (drive or dis\$1) same detect\$3 near5 insert\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 14:41
-	32	(circuit or poll\$3) with (drive or dis\$1) same detect\$3 near5 insert\$3 same (flag or status or bit)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 16:03
-	84	auto adj2 insert	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 16:03
-	3	auto adj2 insert same mode	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 16:04
-	1	auto adj2 insert same detect\$3 near5 insert\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 16:05
-	8	auto adj2 insert and detect\$3 near5 insert\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 16:06

-	41	auto adj2 insert and (drive or dis\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 16:06
-	1	raid and auto\$1run	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 16:34
-	21	poll\$3 adj3 modes and (drive or dis\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/24 13:36
-	64	poll\$3 adj3 modes	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/24 14:04
-	0	auto adj2 insertion adj2 notification	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/24 14:05
-	8	auto adj2 insert adj2 notification	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/24 14:05
-	2132	(insert\$3 near5 detect\$3) same (flag or status or bit)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 08:48
-	22	((insert\$3 near5 detect\$3) same (flag or status or bit)) same poll\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 08:57
-	1	(independent near5 poll\$3) and (interrupt same (status or bit)) and (flag or semaphore or shared) near3 update	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 09:06
-	5	(independent near5 poll\$3) and (interrupt same (status or bit) near3 (check or set)) and (flag or semaphore or shared) near3 (update or check or set)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 09:11
-	97	((insert\$3 near5 detect\$3) same (flag or status or bit)) and poll\$3 and (semaphore or shared)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 09:12
-	2604	poll\$3 near5 (flag or semaphore or memory)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 13:07
-	34	(poll\$3 near5 (flag or semaphore or memory)) and insert\$3 near3 detect\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 13:07
-	13	control adj2 poll\$3 adj2 circuit	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/26 09:29

-	1	drive near3 control same poll\$3 adj2 circuit	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/26 09:29
-	96	drive near3 control same poll\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/26 09:42
-	32	drive near3 control with poll\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/26 09:29
-	2	drive near3 control same poll\$3 and insert\$3 near3 detect\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/26 09:44
-	125	control with poll\$3 and insert\$3 near3 detect\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/26 09:44
-	10	drive with control with poll\$3 and insert\$3 near3 detect\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/26 09:46
-	1	combin\$3 near3 control near3 poll	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/26 09:47